T. JOHN COLLEGE CAPACITY OF LAB TO CONDUCT PRACTICAL CLASSES				
S.No	Course	Lab	Practical's	Capacity
1	BCA	BCA Lab 1	C Lab	30
		BCA Lab 2	Unix Lab	30
		Digital Lab	Digital Electronics	30
		Micro Processor Lab	Alp Lab	30
2	BHM	Food Production	Basic Training Kitchen	16
			Advance Training Kitchen	20
			Quanity Training Kitchen	30
		Bakery Lab	Bakes And Cookies	16
		Food & Beverage Service	Phoenix Restaurant	24
			Prenana Restaurant	24
		Front Office	Reception Lab	15
		Housekeeping	Guest Room Lab	15
		Computer Lab	Computer Practicals	50
3	MCA	MCA Lab		40
4	BA	Psychology	Psychology	10
		Language	Linguaphone	10
5	MBA	MBA Lab	Internet/ Office Tools	40
6	BBA	BBA Lab	Internet/ Office Tools	40
7	M. Com	M. Com Lab	Internet/ Office Tools	40
8	B. Com	B. Com Lab	Internet/ Office Tools	40
1	FAD	Textile Testing Lab	Textile Testing	30
2		Textile Wet Processing	Dyeing	30
3		Fibre & Yarn Science Lab	Fibre Identification	30
4		Draping Lab	Garmenting	30
5		Apparel Production Lab	Garmenting	40

Sr. Rose Mary J Balagga

PRINCIPAL
T. JOHN COLLEGE
88/1, Kammanahalli Gottigere Post,
Bannerghatta Road, BANGALORE-560 083

6		Pattern Making Lab	Garmenting	40
7		Cad Lab	Designing	30
8		Illustration Lab	Designing	30
9		Gso Lab	Embroidary	30

Sr. Rose Mary Balappa

PRINCIPAL
T. JOHN COLLEGE
38/1, Kammanahalli Gottigere Post,
Bannerghatta Road, BANGALORE-560 083

T. JOHN COLLEGE

A BLOCK ROOM MEASUREMENTS

Sl No	Room No	Room Description	Length (Tile Count)	Width (Tile Count)	tile dimension in inch		Inches		Feet		Meters	
					L	B	Length	Width	Length	Width	Length	Width
1	001		9	12.5	22.5	22.5	202.50	281.25	16.88	23.44	5.14	7.14
2	002	Commerce- Class Room	9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
3	003	Commerce- Class Room	9	12.5	22.5	22.5	202.50	281.25	16.88	23.44	5.14	7.14
4	004	Commerce- Class Room	9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
5	005	IQAC	9	11.5	22.5	22.5	202.50	258.75	16.88	21.56	5.14	6.57
6	006	Principal Office	9	11.5	22.5	22.5	202.50	258.75	16.88	21.56	5.14	6.57
7	007	Placement Cell	7	13	22.5	22.5	157.50	292.50	13.13	24.38	4.00	7.43
8	008	OFFICE	23	18	22.5	22.5	517.50	405.00	43.13	33.75	13.14	10.29
9	008/1	CTL- Training Room	7	6	22.5	22.5	157.50	135.00	13.13	11.25	4.00	3.43
10	008/2	OFFICE ARCHIVE	7	6.5	22.5	22.5	157.50	146.25	13.13	12.19	4.00	3.71
11	008/3	VICE PRINCIPAL ROOM	7	6	22.5	22.5	157.50	135.00	13.13	11.25	4.00	3.43
12	008/4	VACANT ROOM	6	7	22.5	22.5	135.00	157.50	11.25	13.13	3.43	4.00
13	009	Commerce- Class Room	23	18	22.5	22.5	517.50	405.00	43.13	33.75	13.14	10.29
14		Physical Education	6	18	22.5	22.5	135.00	405.00	11.25	33.75	3.43	10.29
15	010	Commerce- Class Room	7	12.5	22.5	22.5	157.50	281.25	13.13	23.44	4.00	7.14
16	011	Commerce-PG- Class Room	20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
17	012	Commerce-PG- Class Room	20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
18	013	CTL- Meeting Room	20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
19	101	MCA- Class Room	19	12.5	22.5	22.5	427.50	281.25	35.63	23.44	10.86	7.14
20	102	MCA- Class Room	19	12.5	22.5	22.5	427.50	281.25	35.63	23.44	10.86	7.14
21	103	MCA- Computer Lab	19	12.5	22.5	22.5	427.50	281.25	35.63	23.44	10.86	7.14
22	103-A/1	Womes cell	4.5	7	22.5	22.5	101.25	157.50	8.44	13.13	2.57	4.00
23	103-A/2	Media Room	13.5	7	22.5	22.5	303.75	157.50	25.31	13.13	7.72	4.00
24	104	BCA LAB	36.5	18	22.5	22.5	821.25	405.00	68.44	33.75	20.86	10.29
25	104/1	D.E. Lab	6	7.5	22.5	22.5	135.00	168.75	11.25	14.06	3.43	4.29
26	104/2		6	7.5	22.5	22.5	135.00	168.75	11.25	14.06	3.43	4.29
27	104/3	Server room	6	7.5	22.5	22.5	135.00	168.75	11.25	14.06	3.43	4.29
28	104/4		6	8	22.5	22.5	135.00	180.00	11.25	15.00	3.43	4.57
29	104/5	Digital Electronics Lab	6	10	22.5	22.5	135.00	225.00	11.25	18.75	3.43	5.72
30	105	Commerce Staff Room	23	18	22.5	22.5	517.50	405.00	43.13	33.75	13.14	10.29
31	105/1	BA Staff	6	12	22.5	22.5	135.00	270.00	11.25	22.50	3.43	6.86
32	105/2	BA HOD	6	6	22.5	22.5	135.00	135.00	11.25	11.25	3.43	3.43
33	105	Commerce HOD	7	12.5	22.5	22.5	157.50	281.25	13.13	23.44	4.00	7.14
34	107	B. Com Class Room	19.5	12.5	22.5	22.5	438.75	281.25	36.56	23.44	11.14	7.14
35	108	B. Com Class Room	19.5	12.5	22.5	22.5	438.75	281.25	36.56	23.44	11.14	7.14
36	109	B. Com Class Room	6	12.5	22.5	22.5	135.00	281.25	11.25	23.44	3.43	7.14
37	201	Archive	9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
38	202	BA- Psycology Lab	9	12.5	22.5	22.5	202.50	281.25	16.88	23.44	5.14	7.14
39	203		9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
40	204	BCA - Class Room	9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
41	205	BCA - Class Room	9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
42	206	BCA - Class Room	9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
43	207	FAD - Class Room	9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
44	208	BA- Class Room	6.5	12.5	22.5	22.5	146.25	281.25	12.19	23.44	3.71	7.14
45	209	FAD-CA- Staff room	23	18	22.5	22.5	517.50	405.00	43.13	33.75	13.14	10.29
46	209/1	CA-HOD	7	5.5	22.5	22.5	157.50	123.75	13.13	10.31	4.00	3.14
47	209/2	FAD-CA- Stores	7	5.5	22.5	22.5	157.50	123.75	13.13	10.31	4.00	3.14
48	209/3	Ek Bharat Srest Bharat	7	5.5	22.5	22.5	157.50	123.75	13.13	10.31	4.00	3.14
49	209/4	FAD-HOD	6	7	22.5	22.5	135.00	157.50	11.25	13.13	3.43	4.00
50	209/5	Centre of Excellence	6	11	22.5	22.5	135.00	247.50	11.25	20.63	3.43	6.29
51	210	Design Studio	23	18	22.5	22.5	517.50	405.00	43.13	33.75	13.14	10.29
52	120/1	Draping Lab	6	18	22.5	22.5	135.00	405.00	11.25	33.75	3.43	10.29
53	211	BA- Class Room	7	12	22.5	22.5	157.50	270.00	13.13	22.50	4.00	6.86
54	212	Wet Processing Lab	19.5	12.5	22.5	22.5	438.75	281.25	36.56	23.44	11.14	7.14
55	213	Sewing Lab	33	12.5	22.5	22.5	742.50	281.25	61.88	23.44	18.86	7.14
56	214	FAD- Classroom	6.5	12.5	22.5	22.5	146.25	281.25	12.19	23.44	3.71	7.14
57	215	FAD- Classroom	6	12.5	22.5	22.5	135.00	281.25	11.25	23.44	3.43	7.14

Sr. Rose Mary Baliyppa

PRINCIPAL

T. JOHN COLLEGE

88/1, Kammanahalli Gottigere Post,

Bannerghatta Road, BANGALORE-560 083

B BLOCK ROOM MEASUREMENTS

58	001		24.5	17.5	22.5	22.5	551.25	393.75	45.94	32.81	14.00	10.00
59	002		17	17.5	22.5	22.5	382.50	393.75	31.88	32.81	9.72	10.00
60	003		23	17.5	22.5	22.5	517.50	393.75	43.13	32.81	13.14	10.00
61	004		27	12.5	22.5	22.5	607.50	281.25	50.63	23.44	15.43	7.14
62	005		13	12.5	22.5	22.5	292.50	281.25	24.38	23.44	7.43	7.14
63	006		20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
64	007	Manokendra			22.5	22.5	0.00	0.00	0.00	0.00	0.00	0.00
65	008	Library	30	16	22.5	22.5	675.00	360.00	56.25	30.00	17.15	9.14
66	QK	Quantity Kitchen	28.8	16	22.5	22.5	648.00	360.00	54.00	30.00	16.46	9.14
67	101				22.5	22.5	0.00	0.00	0.00	0.00	0.00	0.00
68	102	BHM Staff room	22.5	17	22.5	22.5	506.25	382.50	42.19	31.88	12.86	9.72
69	102/1	BHM Staff room	6.5	17	22.5	22.5	146.25	382.50	12.19	31.88	3.71	9.72
70	103	BHM- HOD Room	6.5	12.5	22.5	22.5	146.25	281.25	12.19	23.44	3.71	7.14
71	104		20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
72	105		10	12.5	22.5	22.5	225.00	281.25	18.75	23.44	5.72	7.14
73	106		10	12.5	22.5	22.5	225.00	281.25	18.75	23.44	5.72	7.14
74	107		10	12.5	22.5	22.5	225.00	281.25	18.75	23.44	5.72	7.14
75	108		10	12.5	22.5	22.5	225.00	281.25	18.75	23.44	5.72	7.14
76	109	PG- Library	30	16	22.5	22.5	675.00	360.00	56.25	30.00	17.15	9.14
77	201	DOMS- Director	18.5	12.5	22.5	22.5	416.25	281.25	34.69	23.44	10.57	7.14
78	202		18	12.5	22.5	22.5	405.00	281.25	33.75	23.44	10.29	7.14
79	203	DOMS Staff Room	22.5	12.5	22.5	22.5	506.25	281.25	42.19	23.44	12.86	7.14
80	203/1	DOMS-HOD	6	12.5	22.5	22.5	135.00	281.25	11.25	23.44	3.43	7.14
81	204		6.5	12.5	22.5	22.5	146.25	281.25	12.19	23.44	3.71	7.14
82	205		20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
83	206		20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
84	207		20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
85	208	BHM Classroom	30	16	22.5	22.5	675.00	360.00	56.25	30.00	17.15	9.14
86	301-A		24.5	17.5	22.5	22.5	551.25	393.75	45.94	32.81	14.00	10.00
87	301-B		12	17.5	22.5	22.5	270.00	393.75	22.50	32.81	6.86	10.00
88	302		11.5	17.5	22.5	22.5	258.75	393.75	21.56	32.81	6.57	10.00
89	303		17.5	17.5	22.5	22.5	393.75	393.75	32.81	32.81	10.00	10.00
90	304		6.5	17.5	22.5	22.5	146.25	393.75	12.19	32.81	3.71	10.00
91	305		20	12.5	22.5	22.5	450.00	281.25	37.50	23.44	11.43	7.14
92	306		9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
93	307		9.5	12.5	22.5	22.5	213.75	281.25	17.81	23.44	5.43	7.14
94	308		20	16	22.5	22.5	450.00	360.00	37.50	30.00	11.43	9.14
95	308	Seminar Hall							54.00	30.00	4.60	2.50

Sr. Rose Mary Balappa

PRINCIPAL

T. JOHN COLLEGE

88/1, K[illegible] Gottigere Post,

Bannerghatta Road, BANGALORE-560 083